



Give It Gas - operates solely as an ONLINE BUSINESS

Tel: (011) 646 9439

Cell: (082) 452 4488

Email: penny@giveitgas.co.za

www.giveitgas.co.za

COLD FACTOR 3-WAY CAMPING FREEZERS (200V/ LP GAS/ 12V)

45 litre 3-way Camping Freezer



Dimensions/ Weight

Packaged dimensions : 525mm (H) x 685mm (W) x 560mm (D)

Actual dimensions : 495mm (H) x 655mm (W) x 530mm (D)

Weight : 28kg

Finish

CF45GES - Stainless Steel (stainless steel models recommended for travel on bad dirt roads and onboard sea-going boats)

CF45GE - Grey Chromadek with Textradek Lid

Power/ Consumption

Wattage (W) : 130W

Gas Consumption/ 24 hours - 400g (approx) . 1x 9kg gas bottle will last approx 18 – 21 days.

Electricity Consumption/ 24hours - 0.13 Kwh

Energy sources : LP Gas / 220v/ 12v

Temperature

-12°C @ +32°C

Freezers are capable of freezing to 44°C below ambient. Example: At 32°C ambient (outside temperature) the freezer's interior temperature will be -12°C. At 20°C ambient (outside temperature), the freezer's interior temperature will be -20°C .

Product Information

Electric Thermostat (220 Volt) included

Gas Thermostat (Optional extra). Fitting a Gas Thermostat will allow the unit to be used as a fridge if preferred.

While running 12v units can only operate as freezers

Flame Indicator

Igniter

Gas Safety Valve

Metal Lock & Catch
Metal Carry Handles
Metal Hinges
Absorption unit covered
Gas Hose & Regulator included

70 litre 3-way (12v/ 220v/ Gas) Camping Freezer



3

Dimensions/ Weight

Packaged dimensions : 695mm (H) x 685mm (W) x 560mm (D)
Actual dimensions : 665mm (H) x 655mm (W) x 530mm (D)
Weight : 32kg

Finish

CF70GES - Stainless Steel (stainless steel models recommended for travel on bad dirt roads and onboard sea-going boats)
CF70GE - Grey Chromadek with Textradek Lid

Power/ Consumption

Wattage (W) : 160W
Gas Consumption/ 24 hours - 450g (approx). 1x 9kg gas bottle will last approx 18-21 days.
Electricity Consumption/ 24 hours: 0.16 Kwh
Energy sources : LP Gas/ 220 Volt/ 12 Volt

Temperature

-12°C @ +32°C

Freezers are capable of freezing to 44°C below ambient. Example: At 32°C ambient (outside temperature) the freezer's interior temperature will be -12°C. At 20°C ambient (outside temperature), the freezer's interior temperature will be -20°C .

Product Information

1x basket included

Electric Thermostat (220 Volt) included

Gas Thermostat (Optional extra). Fitting a Gas Thermostat will allow the unit to be used as a fridge if preferred.

While running on 12v units can only operate as freezers

Flame Indicator

Gas Safety Valve

Metal Lock & Catch

Metal Carry Handles

Metal Hinges

Absorption unit covered

Gas Hose & Regulator included

y Camping Freezer (12v/ 220v/ Gas)



Dimensions/ Weight

Packaged dimensions : 695mm (H) x 685mm (W) x 560mm (D)

Actual dimensions : 665mm (H) x 655mm (W) x 530mm (D)

Weight : 32kg

Finish

CF90GES - Stainless Steel (stainless steel models recommended for travel on bad dirt roads and onboard sea-going boats)

CF90GE - White Chromadek with Textradek Lid

Power/ Consumption

Wattage (W) : 160W

Gas Consumption/ 24 hours - 450g (approx). 1x 9k gas bottle will last approx 18

Electricity Consumption/ 24 hours: 0.16 Kwh

Energy sources : LP Gas/ 220 Volt/ 12 Volt

Temperature

-12°C @ +32°C

Freezers are capable of freezing to 44°C below ambient. Example: At 32°C ambient

(outside temperature) the freezer's interior temperature will be -12°C. At 20°C ambient (outside temperature), the freezer's interior temperature will be -20°C .

Product Information

1x basket included

Electric Thermostat (220 Volt) included

Gas Thermostat (Optional extra). Fitting a Gas Thermostat will allow the unit to be used as a fridge if preferred.

While running on 12v units can only operate as freezers

Flame Indicator

Igniter

Gas Safety Valve

Metal Lock & Catch

Metal Carry Handles

Metal Hinges

Absorption unit covered

Gas Hose & Regulator included

ADDITIONAL INFORMATION ON CAMPING FREEZERS

Vehicle dual battery system is not required as the 12v function need only be

Gas or 220V is used when stationary so there is no need for forced drives to charge batteries.

Freezer has 75mm foam insulation which allows the units to remain frozen for up to 48 hours with no power at all (providing opening/ closing of lid is limited)

No moving parts inside the Absorption System which makes repair and maintenance

Level sensitive when stationary and proper levelling must be done.

Capable of freezing 2 kg of water in 24 hours while keeping everything else frozen.

Gas safety valve will cut off the gas flow to the burner (in less than 60 seconds) in the event of the burner flame going out.